



QUICK START GUIDE

JBL CINEMA SB230






www.jbl.com






OWNER'S
MANUAL





- EN** Before using this product, read the safety sheet carefully.
- KO** 제품을 사용하기 전에 안전 관련 주의사항을 자세히 읽으십시오.
- CN** 使用本产品前, 请仔细阅读安全说明书。
- TW** 在使用本產品前, 請仔細閱讀安全說明書。
- ID** Sebelum menggunakan produk ini, bacalah lembar keselamatan dengan saksama.




- EN** * Power cord quantity and plug type vary by regions.
- KO** * 전원 코드 수량 및 플러그 유형은 지역별로 다릅니다.
- CN** * 电源线的数量和插头类型依地区而不同。
- TW** * 電源線數量和插頭類型視地區而異。
- ID** * Jumlah kabel daya serta tipe steker berbeda-beda tergantung wilayah.












BT



< 8 m / 27 ft



2



1 BT



- EN** 5V \equiv 500 mA (For Service only)
- KO** 5V \equiv 500 mA (정비 전용)
- CN** 5V \equiv 500 mA (仅用于维护)
- TW** 5V \equiv 500 mA (僅適用於服務)
- ID** 5V \equiv 500 mA (Khusus untuk servis)

EN

- Power supply: 100 - 240V~, 50/60Hz
- Total maximum power : 110 W
- Soundbar maximum output power: 2 x 27 W
- Subwoofer maximum power: 56 W
- Standby consumption: 0.5 W
- Soundbar transducer: 2 x 2" full range driver
- Subwoofer transducer: 4", wired sub
- Max SPL: 82dB
- Frequency response : 40Hz - 20KHz
- Operating temperature: 0°C - 45°C
- Bluetooth version: 4.2
- Bluetooth frequency range: 2402 - 2480MHz
- Max transmitting power: 0dBm
- Bluetooth modulation: GFSK, $\pi/4$ DQPSK
- Soundbar dimensions (W x H x D) : 900 x 67 x 63 mm / 35.4" x 2.6" x 2.5"
- Soundbar weight: 1.5 kg
- Subwoofer dimensions (W x H x D) : 150 x 320 x 220 mm / 6" x 12.6" x 8.7"
- Subwoofer weight: 2.8 kg

KO

- 전원 공급 장치: 100 - 240V~, 50/60Hz
- 전체 최대 출력: 110W
- 사운드바 최대 출력 전원: 2 x 27W
- 서브우퍼 최대 출력: 56W
- 대기 전력 소비: 0.5W
- 사운드바 변환기: 2" 풀레인지 드라이버 2개
- 서브우퍼 변환기: 4", 유선 서브
- 최대 SPL: 82dB
- 주파수 응답: 40Hz ~ 20KHz
- 작동 온도: 0°C ~ 45°C
- Bluetooth 버전: 4.2
- Bluetooth 주파수 범위: 2,402 ~ 2,480MHz
- 최대 송신 출력: 0dBm
- Bluetooth 변조: GFSK, $\pi/4$ DQPSK
- 사운드바 크기(W x H x D): 900 x 67 x 63 mm / 35.4" x 2.6" x 2.5"
- 사운드바 무게: 1.5kg
- 서브우퍼 크기(W x H x D): 150 x 320 x 220 mm / 6" x 12.6" x 8.7"
- 서브우퍼 무게: 2.8kg

CN

- 电力供应: 100 - 240 V~, 50/60 Hz
- 总最大功率: 110 W
- 条形音响最大输出功率: 2 x 27 W
- 次重低扬声器最大功率: 56 W
- 待机损耗: 0.5 W
- 条形音响传感器: 2 x 2" 全音域驱动
- 次重低扬声器传感器: 4", 有线次重低音扬声器
- 最大声压级: 82dB
- 频率响应: 40 Hz - 20 KHz
- 操作温度: 0°C - 45°C
- 蓝牙版本: 4.2
- 蓝牙频率范围: 2402 - 2480 MHz
- 最大输出功率: 0 dBm
- 蓝牙调制: GFSK, $\pi/4$ DQPSK
- 条形音响尺寸(宽 x 高 x 长): 900 x 67 x 63 mm / 35.4" x 2.6" x 2.5"
- 条形音响重量: 1.5 kg
- 低音炮尺寸(宽 x 高 x 长): 150 x 320 x 220 mm / 6" x 12.6" x 8.7"
- 低音扬声器重量: 2.8 kg

TW

- 電源: 100 - 240 V~, 50/60 Hz
- 最大總功率: 110 W
- 條形音箱最大輸出功率: 2 x 27 W
- 重低音喇叭最大功率: 56 W
- 待命功耗: 0.5 W
- 條型音箱轉換器: 2 x 2" 全音域驅動器
- 重低音喇叭轉換器: 4", 有線重低音喇叭
- 最大 SPL: 82 dB
- 頻率回應: 40Hz - 20 KHz
- 工作溫度: 0°C - 45°C
- 藍牙版本: 4.2
- 藍牙頻率範圍: 2402 - 2480 MHz
- 最大發射機功率: 0 dBm
- 藍牙調變: GFSK, $\pi/4$ DQPSK
- 條型音箱尺寸 (寬 x 高 x 深): 900 x 67 x 63 mm / 35.4" x 2.6" x 2.5"
- 條型音箱重量: 1.5 kg
- 重低音喇叭尺寸 (寬 x 高 x 深): 150 x 320 x 220 mm / 6" x 12.6" x 8.7"
- 重低音喇叭重量: 2.8 kg

ID

- Catu daya: 100 - 240V~, 50/60Hz
- Total daya maksimum : 110 W
- Daya output maksimum Soundbar: 2 x 27 W
- Daya maksimum subwoofer: 56 W
- Konsumsi daya saat stand-by: 0,5 W
- Transduser soundbar: 2 x driver jangkauan penuh 2"
- Transduser subwoofer: Sub nirkabel 4"
- SPL Maksimum: 82dB
- Respons frekuensi : 40Hz - 20KHz
- Suhu pengoperasian: 0°C - 45°C
- Versi Bluetooth: 4.2
- Rentang frekuensi Bluetooth: 2402 - 2480MHz
- Daya pancar maksimum: 0dBm
- Modulasi Bluetooth: GFSK, $\pi/4$ DQPSK
- Dimensi soundbar (P x T x L) : 900 x 67 x 63 mm / 35,4" x 2,6" x 2,5"
- Berat soundbar: 1,5 kg
- Dimensi subwoofer (P x T x L) : 150 x 320 x 220 mm / 6" x 12,6" x 8,7"
- Berat subwoofer: 2,8 kg



The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.



Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio and the double-D symbol are trademarks of Dolby Laboratories.



TB237DSW_JBL CINEMA **SB230**_SOP_V1